Contract



Contract No: GEMC-511687799110500

Generated Date: 18-Mar-2022

Organisation Details

Type: State Government

Ministry:

Youth Services and Sports and Technical Education Department

Department: Jammu and Kashmir

Organisation Technical Education Department

Name:

Office Zone: Joint Director Office

Buyer Details

Designation: Principal ITI Baramulla
Contact No.: -7889753974Email ID: iti-baramulla@jk.gov.in

GSTIN:

National Highway Kralhar Baramulla, Address:

BARAMULLA, JAMMU & KASHMIR-193101, India

Financial Approval Detail

Designation of Financial Approval:

IFD Concurrence:
Designation of Administrative Approval:

No Principal ITI Principal ITI **Paying Authority Details**Payment Mode: Offline

Designation: DDO ITI Baramulla
Email ID: ddo-itibaramulla@jk.gov.in

GSTIN: -

Address: National Highway Kralhar Baramulla,
Baramulla, JAMMU & KASHMIR-193101, India

Seller Details

 GeM Seller ID:
 7E07180000551851

 Company Name:
 NEXT GEN IT SOLUTIONS

Contact No.: 07006357690

Email ID: nextgenitsgr@gmail.com
Khalifapora,khanyar,

Srinagar, JAMMU & KASHMIR-190003, -

MSME verified: No

MSME Registration number: GSTIN: - 01BZUPP1021J1ZG , 01BZUPP1021J1ZG

*GST / Tax invoice to be raised in the name of - Consignee

Product Details

#	Item Description	Ordered Quantity	Unit	Unit Price (INR)	Tax Bifurcation (INR)	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name: CP PLUS Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, 2 10/100/1000Mbps Non-PoE RJ45 port (port 9 ~ port 10) Brand: CP PLUS Brand Type: Registered Brand Catalogue Status: Catalogue not verified by OEM Selling As: Reseller not verified by OEM Category Name & Quadrant: Port Fast Ethernet PoE Switch with 2 Gigabit Uplink (Q3) CP-ANW-HPU8G2-96 HSN not specified by seller	1	pieces	8,050	NA	8,050
2	Product Name: Unbranded 2 (Top side) and 2 (Bottom side) FRP (Fibre-reinforced plastic) Grey Brand: NA Brand Type: Unbranded Catalogue Status: Catalogue not verified by OEM Selling As: Reseller not verified by OEM Category Name & Quadrant: Junction Box for Lighting (Q3) JB 132X120X75 HSN not specified by seller	2	pieces	1,500	NA	3,000
3	Product Name: PRAMA 8 Input and 2 Output Channel Video Recorder For Cctv System Brand: PRAMA Brand Type: Registered Brand Catalogue Status: OEM verified catalogue Selling As: OEM verified Reseller Category Name & Quadrant: Video Recorder For Cctv System-IS 9000 (Q2) PT-NR2A08-Q2 HSN not specified by seller	1	pieces	7,930	NA	7,930
To	otal Order Value (in INR)	I				18,980

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
	Designation: Principal ITI Baramulla Email ID: iti- baramulla@jk.gov.in Contact: -7889753974- GSTIN: - Address: National Highway Kralhar Baramulla, BARAMULLA, JAMMU & KASHMIR-193101, India	CP PLUS Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, 2 10/100/1000Mbps Non-PoE RJ45 port (port 9 ~ port 10)	-	1	18-Mar-2022	02-Apr-2022
1		Unbranded 2 (Top side) and 2 (Bottom side) FRP (Fibre-reinforced plastic) Grey	-	2	18-Mar-2022	02-Apr-2022
1		PRAMA 8 Input and 2 Output Channel Video Recorder For Cctv System	-	1	18-Mar-2022	02-Apr-2022

Product Specification for CP PLUS Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, 2 10/100/1000Mbps Non-PoE RJ45 port (port 9 ~ port 10)

Specification	Sub-Spec	Value
	Storage Temperature	-20
	Operating Temperature	0
	Network Port	2 10/100/1000Mbps Non-PoE RJ45 port (port 9 ~ port 10)
Technical Parameter	Network protocol and standard	IEEE 802.3af/at Power over Ethernet
	Working Humidity	90
	Storage Humidity	90
	LEDs indicator	LINK/ACT
Generic	Transfer Rate	Network interface: 10BASE-T or 100BASE-TX Ethernet RJ-45 port
Generic	Power pin	1/2(+)
Performance Parameter	Performance	Bandwidth: 5.6Gbps (no block),Frames filter and transfer rate,10M port maximum 14,800pps,100M port maximum 148,800pps
Electrical	Power Source	96
Parameter	Single port maximum output power	30
	Height	27
Dimension	Weight	1
Dimension	Length	184
	Width	94
	Name of the Lab	NA
	Address of the Lab	NA
Test Report	Test Report Number	NA
	Test Report Date	NA
	Availability of Type Test Report for conformity of parameters from any ILAC/NABL accredited/Central Gov. LAB .	No
Test Reports	Test report to be submitted to the Buyer on Demand	No

Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded 2 (Top side) and 2 (Bottom side) FRP (Fibre-reinforced plastic) Grey

Specification	Sub-Spec	Value
	Junction Box Width (in mm)	120
	Junction Box Height (in mm)	132

	Junction Box Depth (in mm))	75
DIMENSIONS	Overall dimension tolerance (+/- in mm)	5
	Material (sheet) thickness (in mm)	2
	Thickness tolerance (+/- in mm)	0.5
	Weight of each junction box (in Kg) - Must declare	750
	Description of store	Junction Box for Lighting
	Material of Junction Box	FRP (Fibre-reinforced plastic)
	Shape of Junction Box	Square
GENERIC	Colour of junction box	Grey
	Degree of protection	IP65 (as per IS/IEC 60529:2001 latest)
	Safety compliances	Fire retardant Class - FV-0 (as per IS:11731 Part-II)
	Type of front cover fixing on junction box (front side)	Front cover with 4 Nos. Fastners with retainers (Mild steel)
	No.of way on Junction Box (in Nos.)	2 (Top side),2 (Bottom side)
	Cable Glands on junction box	No
	Voltage Grade of terminal block	1100 V, 50 HZ, AC
CONSTRUCTION	Number of terminal connector on junction box	2
	Terminal connector supporting for maximum size of conductor (in Sq mm)	16
	Type of mounting	Wall Mounting
	Accessories for each junction box	Neoprene Rubber Gasket 1 No.
	Insulation resistsnce (between all live parts connected together and the body)	>200 MΩ
	High voltage withstand test (between all live parts connected together and the body)	2 KV (rms) for 1 minute
	Availability of test reports with complete drawings from Central Govt Lab/NABL/ILAC accrediated laboratory to prove conformity of the specification	Yes
CERTIFICATIONS	Test report number and date if claimbed "Yes" If No write NA	4787189194
	Name and addres of lab (If No test reports write NA)	UBL BANGALORE
	Agreed to furnish all the test rports and certificates to the buyer/consignee on demand	Yes

Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for PRAMA 8 Input and 2 Output Channel Video Recorder For Cctv System

Specification	Sub-Spec	Value
	Number of Video Input Channels	8
	Number of Non-IP based Video input Channels for HVR	NA
	Number of IP based Video input Channels for HVR	NA
	Number of Video Output Channels	2
	Recording Resolution	4K (3840 × 2160)
	Supported Compression Technique	H.264,H.265,H.265+,H.264+
VIDEO	Maximum Number of cameras to be viewed on a single display	8
	Total number of simultaneous local views	2
	Simultaneous Monitoring Connections for All Cameras (Users in Local Network for Client Connection)	16
	Recording Speed for all channels (fps)	25
	Minimum Through put (Mbps)	96
	Display Image Rate	Real time per channel

	1	<u> </u>
	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
TYPE	Housing construction	Alluminium
	Mounting	Rack Mounted
	Rack Mount configuration	10
	Capability of Recorder to Work with Other Makes of CCTV Cameras (ONVIF support)	Yes
	Audio Support	Yes
	Audio Input	1
AUDIO	Audio Output	1
	Audio Compression	G.726,G.711,G.722.1,A-Law,U-Law
	Minimum Number of Simultaneous Channels for Two-way Audio Support	1
CECUDITY	Type of Encryption	HTTPS (SSL/TSL)
SECURITY	Multi Level User ID / Password	Yes
	Alarm Support	No
	Alarm Input	NA
	Alarm Output	NA
ALARM	Pre / Post Alarm Buffer	No
	Pre-Alarm Recording	0
	Post-Alarm Recording	0
	Video Content Analytics (VCA)	NA
	Operating System Supported	Linux
	Supported Network Protocols	SNMP,DHCP,HTTP,HTTPS,DNS,DDNS,RTSP,NTP,UPnP,SMTP,TCP/IP
	Supported Interface	Ethernet,HDMI,VGA,USB
	Physical Layer of Ethernet	10/100 Base TX
	Number of Ethernet Ports	1
	Number of HDMI Ports	1
NETWORK PROTOCOLS / INTERFACE / OPERATING	Number of VGA Ports	1
SYSTEM	Number of CVBS Ports	0
	Number of USB Ports	2
	Number of Serial Ports	0
	Number of PoE Ports	0
	Supported SIM Slot	NA NA
	Number of SIM Slots	0
	Video Loop Support	No
	Video Recorder supports recording on NAS Directly	Yes
	Remote Administration (Remote Configuration And Status Using Web Based Tool)	Yes
	System Update (Remote System Update Over Network Using Web Client)	Yes
	PC Client (PC Application Client With A Channel Recording Feature Support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
FEATURES	On Screen Display (In English)	Yes
	Drivers / Compatible Software (Wherever Applicable) Part Of Supply	Yes
	Recording schedule support	Yes
	Bandwidth Control	Yes
	Camera Notification	
I	Cumera Notification	Spot (POP up Window) on Event,E-mail

	Network transmission Speed	Real time display @ D1 resolution,Constant Bit Rate
		(CBR),Variable Bit Rate (VBR)
	Other features, if any	REFER DATASHEET
	Search	Date,Time,Event,Log,Motion
PLAYBACK / VIEW /	Bookmarks	Forward,Backward,adjustable playback speed,Full Screen,Nex Camera,Previous Camera,Repeat
MANAGEMENT	Page preview	Multi Monitor Support, Video Window
	Total Management	Delete,Remote Data Export,USER MANAGEMENT
	Camera	Add,Edit,Delete
	Internal Hard Drive Interface	SATA II
	Number of Hard Disks (inclusive in the scope of supply)	0
	Storage Capacity of each Hard Disk (TB)	6
STORAGE	Total Storage Capacity(TB)	12
	Internal Storage Expandable upto (TB)	0
	Number of Hard Disks supported	2
	Redundancy Option	NA
	Power Input	12 V DC
	Power Consumption	15
POWER SUPPLY	Suitable Adapter to be Supplied to Make the Equipment Work on 230 V \pm 10 %, 50 Hz	NA
	Redundant Power Supply	No
	Minimum Operating Temperature	-10
PERATING CONDITIONS	Maximum Operating Temperature	55
	Relative Humidity Non Condensing at 40 deg C	90
	Warranty	5
VARRANTY / SERVICES	Time for Replacement of Defective Product During Warranty Period	96
	Availability of facility and infrastructure for verification of all the parameters, features and capability with the Seller	No
	Conformity to Dry Heat test at Specified Maximum Operating Temperature for 16 hours as per IS :9000 latest	No
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	No
ENVIRONMENTAL /	Conformity to Cold test at Specified Minimum Operating Temperature for 4 hours as per IS: 9000 latest	No
CERTIFICATION	BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	AT TIME OF SUPPLY
	Name and Address of Test Lab	PRAMA
	Certification	UL/BIS, BIS
LIST OF ITEMS	List of Items and Quantity of each item included in the offer	Quick start guide

Terms and Conditions

1. Special terms and conditions- Version:3 effective from 23-05-2021

- 2. General Terms and Conditions-
- 2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.
- 2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.
- 2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.
- 2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.
- 2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.
- 2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.
- 2.6 Octroi Duty and / or other local taxes:Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).
- 2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.
- 2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.
- 2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.
- 2.10 Financial Certificate:
- 2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.
- 2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.
- 2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.
- 2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.